131

70

P.W. 81. No. 132.

19~~5~~49.—50

File No. 444/48—Pt. I.

B CLASS

Public works **DEPARTMENT**

E. **BRANCH** (1)

Subject:— Establishment: Southern Circle opening of Divisions & Sub-Divisions.

R-[K]-1950

EB(1).

File No. 444/48. I.

Std. Sectt. Slip. 24 A.

Std. Sectt. 78 a.

G. R., G. D., No. 2408, dated 22-6-22.]

DOCKET SHEET

File No. 444/48

P.W. DEPT.

E BRANCH. (i)

Subject :—

References :—

Date.	To whom sent.	Notes and instructions.
4/3/49	EB (i)	
14.4.1950	Regr (F.D)	Pl. return n.o. ~~to~~ O.W.D
18/4	E (iii)	

444/48/15331

P.W.D.

EB(I).

The S.E., S.C., has submitted a
proposal for the conversion of the P.W.D.
Work Shop in the Belgaum Dn. into
a Mechanical Sub-Dn. charge. for the
proper and efficient up keep and
repairs of several kinds of machinery, etc
in his circle. The S.E. has fully
explained the necessity of a Sub-dn.
It, is for consideration whether the S.E.'s
proposal may be accepted. If so, he
will be asked to report the estabt.
required for the Subdn and the estabt
(Pt stamp.) at present employed in
the work shop as this cannot be made
out from the diagram p 5 of estabt
submitted by the S.E.

Thro. EB(II) & Control Osr.

10/3/69

9-3-69

9-3-69

The S.E./S.C. may be requested
to supply information as at 'A' in To o.r.
Secy. (P.W.) Before considering the S.E.'s proposal, he may
be requested to state ~~that~~ whether any

P.T.O

2

difficulty is likely to be experienced in recruiting ~~the~~ adequately trained and experienced staff for the proposed new mechanical section.

10/3/49

11/3.

Secy (R&B)

EB(II)

Resubmitted with the necy. draft for approval.

BRL
11-3-49.

. Thro EB(II).

x PC. i
Prof.
15-16

11-3-49

12/3/49

DS

444/48/32188.

E.B.(I). P. W. Deptt.

Submitted with reference to the notes on pages 1-2 ante and G.L. No. 444/48-E(I), dated the 13-3-49. p 17 9 c/s pp 20—26 9 c/s

2. The S.E., S.C., has furnished the necy. informatio The temporary estabt. asked for by the S.E. for the proposed Sub-Dn. is as shown below -

Estabt.	Scale of pay
Office.	Rs.
(i) One Dy. Engr. (B.E. Mechl./Elecl.)	220-15-400-E.B.-20-500-EB-25-650.
(ii) One Head clerk.	100-8-140-10-150.
(iii) One store coolie and Hondekari.	46-3-85-EB-4-105.
(iv) Two peons.	30-1/2-35.
Work Shop.	
(v) One Asstt. Mechanical. Overseer.	80-5-100-8-140-EB-10-220-EB-10-270.
(vi) One chowkidar.	30-1/2-35.
Kolchi Weir Ramdurg.	
(vii) One Asstt. Mechl. Overseer.	80-5-100-8-140-EB-10-220-EB-10-270.

The work charged and muster-roll estabt. will be sanctioned and employed by the S.E.

3. The Ex. Engr., Belgaum Dn., in para 3 of his endt. ~~within~~ p 26 c/s states that there is no difficulty in securing the services of qualified/men and trained experienced workmen required for the proposed Sub-Dn.

4. It is for consideration whether, as proposed by the S.E., the P.W.D. Work-shop in the Belgaum Dn. may be converted into a Mechanical Sub-Dnl. charge on a tempy. basis for the period up to the 28-2-50, in the first instance, and the tempy. estabt. as detailed in para 2 above may be sanctioned for the same period. If so,

S.E.'s proposal may be approved, I think.
K 27/5/49

the .....

the papers may be refd. U.O. to the F.D. for its concurrence before the necy. draft orders are put up.

Through E.B.(II), Contl. Br. & A.B.(II).

SAM.
23/5/49.

23-5

5. The scales proposed for the several items in the statement at pp 20-25 *ante* call for remarks in respect of the following items only.

Sr No.	Items.	No.	Scale proposed
			R.
1	Store Coolies or Hundekari	1	46-3-85-E-B-4-105.
2	Asstt. to Mechl. Overseer.	1	80-5-100-8-140-E-B-10-220-E-B.-10-270
3	First Turner	1	46-3-85.
4	Boy Turner	1	46-3-85.
5	Welder	1	52-3-85-E-B-4-105.
6	Asstt. Welder	1	46-3-85.
7	Sheet Metal Worker	1	55-3-85-EB-4-125
8	Asstt. Sheet Metal Worker	1	46-3-85
9	Asstt. Mechanic (Gasolene)	1	60-4-100-E-B-4-120
10	Electrician	1	68-4-100-EB-4-120

Further details are necy. in all the above cases before any remark can be offered with reg. to the suitability or otherwise of the scales proposed. [There are no corresponding scales in the above cases]

5

444/48
32/188.

6. The necessity of employing trainees, vide items 13, 16, 22, 24, 30 & 33 of the statement requires further elucidation. In particular it is necy. to know the rates of pay proposed for them & why it is necy. to adopt th

×pp 20-25.

7. In the case of Blacksmith a scale of Rs. 45-2-75 has been suggested by the FD in file No 6919/36-I. This may be adopted.

8 The SE will be asked to justify fully the proposed scales refd to in paras. 5-6 above.

This may be done first, before considering the proposal further.
27/5/49

S.R.J.
25-5-49

25/5/49.

25/5/49

9. The cost of the addl. estabt. is debitable to "50-C.W.-Bridg." The cost thereof will exceed Rs. 5,000 per annum (recurring). If, therefore, it is decided to sanction the estabt. with immediate effect, L.A.'s approval will have to be anticipated with the concurrence of the F.D. The necy. Supplementary demand to obtain L.A.'s approval can be forwarded to the F.D. in due course.

Bmg
27-5-49

Marquis
27/5/49

The SubDn need not undertake all the work elaborated in the SESC's letter. There is necessity of a soil mechanics laboratory as the SE KIC will be the proper person to undertake it.

Also the apprentices need not be entertained as I am told that in future apprentices will have to be paid the same wages as regular ~~[illegible]~~ labour employed in workshops.

1/6/49

3/6

[illegible]

for

approval.

13-6-49

13/6/49

444/48/59214.

P. W. D.

E.B.(III).

p.38 c/s

Submitted (together with Sr.No.53007) with refce. to G.L.No.444/48-E(II#), dated the 14-6-49. h.0.1 c/s

2. The S.E.,S.C., has now submitted his revised proposals for the formation of a P.W.D. Workshop Sub.Dn. at Belgaum. The following comments are offered on the several items proposed by the S.E. :-

	Establishment. Office.	Scale of pay. Rs.
(i)	One Dy.Engr.(B.E. Mechl/ Elecl.)(Sr.No.1)	220-15-400-E.B.-20 500-E.B.-25-650.
(ii)	One Head Clerk.(Sub-Divl) (Sr.No.2)	100-8-140-10-150.
(iii)	One ~~First~~ Clerk. (Sr.No.3)	46-3-85-E.B.-4-105.
(iv)	One Store Clerk. (Sr.No.4)	- Do -
(v)	One Store Coolie and Hondekeri.(Sr.No.5)	55-3-85-4-105
(vi)	Two peons. (Sr.No.6)	30-1/2-35.
(vii)	One Khalasi. (Sr.No.7)	- Do -

3. The proposed office estabt. consists of the posts mentioned above ~~marginally noted posts~~. The scales of pay proposed in respect of these posts are in order and may be accepted except in the case of a Store Coolie and Hondekeri. The necessity for a Store Karkun is explained at Sr.No.1 on p.36 c/s ~~ante~~. The Store Hundekeri-Cum-Karkun is intended to help a Store Clerk. Such a post does not exist in a normal Sub-Dn. Besides the scale proposed for this post viz., Rs.55-3-85-4-105 is more than admissible to a Store Clerk. This will create an anamolous position. The post may be disallowed. The other posts may be allowed.

I agree
6/10/49

Work Shop at Belgaum.

4. (a) The scales of pay for the Mechanical Overseer (Sr.No.8) and Chawkidar (Sr.No.34), viz., Rs. 80-5-100-8-140-E.B.-10-220-E.B.-10-270 and Rs. 30-1/2-35 respectively, are in order and may be accepted.

Yes
6/10

(b)

(b) Sr. No 9

	Scale of Pay. Rs.	
Asstt. to Mechanical Overseer. (Sr.No.9).	80-5-100-8-140-E.B. 10-220-E.B.-10-270	Previously proposed
	70-3-85-4-105-5-145	Modified proposal.

The duties of an assistant to the Mechanical Overseer appear to overlap in some respects with that of the Mechanical Overseer. The scale proposed for the Asstt. to the Mechanical Overseer, corresponds to that of Sub-Overseer's scale viz., Rs.70-3-85-4-105-5-140. The S.E. has not explained the necessity of this post. In the circumstances it is for orders whether it may be sanctioned.

The post may be sanctioned as the mechanical overseer will require an Assistant of proper qualifications

(c) Sr. Nos 10, 17, 23, 27, 28, 29, 31 & 32

	Scale of Pay. Rs.
(i) One Head Turner (Sr.No.10)	55-3-85-E.B.-4-105
(ii) One Black Smith. (Sr.No.17)	45-2-75.
(iii) Two Carpenters. (Sr.No.23).	45-1-50-2-70.
(iv) Two Fitters. (Sr.No.27).	55-3-85-4-105.
(v) One Oilman (Sr.No.28).	35-1-50
(vi) One Electrician (Sr.No.29).	60-4-100-E.B.-4-120.
(vii) Mechanic(Steam Road Roller) and spare driver. (Sr.No.31).	- Do -
(viii) Mechanic (Diesel Road Roller) and spare driver. (Sr.No.32).	- Do -

The scales in respect of the above categories which are included in the statement at pp.22-27 c/s ~~papers~~ ante. are sanctioned ones. The staff against these posts is already employed. It is not, therefore, understood why sanction of Govt. is necy. in this respect. The S.E. will be asked to elucidate

Yes
6/10/64

(d) Sr Nos 11 & 12
~~(i)~~

	Scale of Pay. Rs.
(i) First Turner (Sr.No.11)	46-3-85
(ii) Boy Turner. (Sr.No.12)	35-1-50.

The ....

444/48/59214

The posts of a First Turner and that of a Boy Turner is already in existence on the work-charged and Muster Roll respectively. These persons are meant to help the Turner. In the case of First Turner a fixed pay of Rs. 25(plus Rs. 35 D.A.) was mentioned while for the Boy Turner the scale of Rs. 46-3-85 was proposed. In the modified proposals now submitted the scales proposed are Rs. 46-3-85 and Rs. 35-1-50 respectively. It appears that the requirements of the case will be met if scale a of Rs. 30-1/2-35 is sanctioned for the two posts.

First Turner may be given a scale of ~~Rs~~ - 35-1-50 and The boy Turner may be given a scale of 30-1/2-35
[illegible] 6/10/49

(e) Sr No 13, 16, 19, 22, 24, 30 & 33.

(i)	Trainee (Turning) (Sr.No.13). b 21	Re.1/- per day.
(ii)	Trainee(Moulding and Casting). (Sr.No.16). b 22	Daily Wage basis.
(iii)	Trainee (Blacksmithy work). (Sr.No.19). b 22	Daily Wages basis.
(iv)	Trainee (Sr.No.22). b 23	- Do -
(v)	Trainee (Carpentry) (Sr.No.24). b 23	- Do -
(vi)	Trainee (Auto) (Sr.No.30) b 24	- Do -
(vii)	Trainee (for steam and Diesel Engg.) (Sr.No.33). b 24	- Do -

b 32

In view of the para 3 of G.L.No.444/48-E(II), dated the 14-6-49, the posts of Trainees have to be ommitted. No action accordingly is necessary.

[illegible] 6/10

(f) Sr. No 14.

Welder (Electric and Gas) with knowledge of non-ferrous moulding and casting) (Sr.No.14) 21 C/s — ~~53~~ 52-3-85-E.B.-4-105.

The post of a Welder is already in existence on the work charged establishment. The scale proposed therefor, is Rs. 52-3-85-E.B.- 4-105. The scale may

[illegible] 6/10

be ......

444/48/59214

K6/10

be accepted.

(g) Asstt. to Welder/Moulder (Sr.No.15). p.22 — Rs. 46-3-85.

The post of an Asstt. to Welder/Moulder is to be created. The justification for the same will be found at Sr.No.6 of the statement at p.37 ~~ante~~ C/S. A scale of Rs.46-3-85 is proposed. Even if the necessity for the post is accepted the scale proposed is rather too high. It may be reduced to Rs.35-1-50.

I agree
K6/10

(h) Hammer boy (Coolie) (Sr.No.18) p.2. — 30-1/2-35.

One post of a Hammer boy is in existence on the workcharged estabt. The scale proposed, therefore, may be accepted.

K6/10

(i) Sheet Metal Worker. (Sr.No.20). — Rs. 55-3-85-E.B.-4-105.

One post of a Sheet Metal Worker is already filled in on the workcharged estabt. The scale proposed may, therefor, may be accepted.

K6/10

(j) Asstt.Sheet Metal Worker. (Sr.No.21). — Rs. 46-3-85.

One post of an Asstt.Sheet Metal Worker is already filled in on the workcharged estabt. in the scale mentioned above. It appears that the requirements of the case will be met if a scale of Rs.35-1-50 is sanctioned for the post of Asstt.Sheet Metal Worker.

I agree
K6/10

(k) Mechanic (Gasolene) (Sr.No.25). — 60-4-100-E.B.-4-120.

Asstt.Mechanic (Gasolene) (Sr.No.26). — ~~-Do-~~ 55-3-85-4-105) Modified Scale.

The scales mentioned for the above two posts are for orders. It may, however, be stated that the post of Asstt. Mechanic (Gasolene) is a new one.

The scales proposed may be accepted
K6/10

Kolchi Weir Ramdurg.

(l) Mechanical Overseer. (Sr.No.36). p.25 — 80-5-100-8-140-E.B.-10-220-E.B.-10-270.

The scale of the pay for this post is in order and may be accepted.

(m) Asstt.Mechl.Overseer. (Sr.No.37). p.25 — 80-5-100-8-140-E.B-10-220-E.B.-10-270.

The .....

444/48/59214

The duties of an Asstt. to the Mechnical Overseer appear to overlap in some respects with that of the Mechanical Overseer. The Scale proposed to the Asstt. to the Mechl.Overseer corresponds to that of a Sub-Overseer's scale viz., Rs.70-3-85-4-105-5-140. The S.E. has not explained the necessity of the post. In the circumstances it is for orders whether it may be sanctioned.

I think the post may be sanctioned as the mechanical overseer will require ~~proper~~ suitable assistant
Ky 6/10

(n) Three Mechanics. (Sr.No.38) — 60-4-100-E.B.-4-120.

Six Fitters. (Sr.No.39). — 55-3-85-4-105.

The scales in respect of the above categories which are included in the statement at ~~papers~~ 25 ~~ante~~. are sanctioned scales. One post of each category is already filled by the S.E. He now proposes to appoint two additional Mechanics and five additional fitters. As he has not given sufficient reasons for the same, it is for consideration whether the posts may be sanctioned.

The posts may be sanctioned, but the S.E may be asked to fill them according to the volume of work
Ky 6/10

(4) It is for consideration whether the proposals as now modified may be accepted. If so, the papers may be refd. U.O. to the F.D. for its concurrence.

Thro. E.B.(I)& (II) and A.B.(III)

Mr Patil
6/10

ORO.
1-10-49.

SMD.
30.9.49.

S.R.J.
4-10-49

VDD.
30/9/49.

5. The extra cost involved is debitable to the head "50-C.W. Provincial - Estabt. (Ordy.)". The average annual cost of the proposed estabt. exceeds Rs. 5,000/- per annum and is likely to be of a recurring nature. Therefore, if the estabt is sanctioned during the current year with immediate effect, the L.A.'s "approval" will have to be anticipated with the concurrance of the F.D. The L.A.'s

approval will however be obtained by means of a supplementary demand in due course.

5-10-49.

Vide pl. margin on H 7-11

6/10/49

I am not quite clear about the staff for Kolchi weir. The weir is not fully constructed i.e. it is not complete in all respects. The work is proposed to be given on contract. Is it implied that the mechanical staff necessary for operating the plant is to be supplied by the Dept. Even assuming that it is so, why should the staff be permanently employed. The work will be completed this season & there will be no longer any necessity for the same afterwards. Why should the staff not be on the W.C. establishment. We must avoid unnecessary inflation of the staff list.

7-10-49

EB(III)

1.B-43/iii c/s

Resubmitted with the draft for approval.

SMD
14/10/49.

Through EB(II), AB(III) and IB(II).

15-10-49

S.A.G.
14-10-49

14-10-49

Dy. Secy.

17/10/49
56(5)

15-2-50

A

23-1-50

13

44/48/79622
P.W.D
p43 c/s

E.B.(III)

Submitted with ref. to G.L. No 444/48-E(III), dated the 18-10-1949, and the notes underlying thereon. pp 7-12 N/c

2. From the comparison of the statement submitted previously by the S.E., S.C. with his letter No. BM.16, dated the 6.4.49 and the one furnished now, pp 46 57 c/s some discrepancies are found e.g. (i) formerly one permanent Mechanical overseer was shown on the existing staff, while in the revised statement three tempy. Mech. overseers are shown; (ii) the post of First Turner was shown as already existing as work charged one while now it is shown as one to be sanctioned on tempy. establt. (iii) the Asst. Welder's post was not shown ~~as~~ amongst the existing ones previously while in the new statement it is shown ~~as~~ on the work-charged establt. and so on. These discrepancies require to be rectified before considering the S.E's proposal. The S.E may be requested to state the net extra cost involved

x p 27

3. Similarly it is not understood why posts required to be maintained on work charged or muster roll are shown on the revised statement when ~~the~~ creation of such posts does not require Govt. sanction.

4. In the circumstances papers may be referred U.O. to the S.E., S.C. with a request to reconcile the difference in the two statements and to submit afresh details of the staff required for the proposed sub-Dn for which Govt. sanction is ~~asked~~ necy ~~for~~. He may also be requested to eliminate such of the work-charged and muster roll establt. ~~for~~ which Govt. sanction is not needed.

BVB
20/12/49.

K 21/12/49

S.A.J.
21-12-49

U.O. to the S.E., S.C. dt 23rd Dec 1949

SUPDG. ENGR. S. C.
BM 16
23 DEC 1949
P. W. D.

15

Letter.

From

The Superintending Engineer,
Southern Circle Belgaum.

To,

The Secretary to Government,
Public Works Department, Bombay. No.1.

No. B.M.16.

Public Works Department,
Belgaum 21 February 1950.

Subject:- Creation of a New Sub.Division to the P.W.D. Work-shpp Belgaum.

Reference:- Government U.O.reference No. 444/48/79622 (P.W.D.)dated the 23rd December 1949.

In returning herewith the above Government .O.reference together with the statement accompanying thereto, I have to state as under:-

Para 2 of Govt:U.O.reference:-

(i) One permanent Mechanical Overseer (shown provisionally) who was formerly working in the Workshop at Belgaum at the time when proposals were ~~primarily~~ previously submitted to Government has since been posted as a Deputy Engineer: Incharge, Mechanical Sub-Division under the Karnatak Irrigation Circle, Dharwar. Out of the three overseers shown in the subsequently revised statement, two were posted for the workshop from the sanctioned strength of overseers for the Belgaum Division to look after the heavy work of the workshop, which has progressively grown since February, 1949 from the date of first proposal for the creation of the Sub-Division and the third overseer was temporarily posted to this workshop for training later on to be transferred where a Mechanical overseer was necessary. But now in the fresh statement, out of the three existing overseers, one is proposed to be posted as Deputy Engineer on the formation of a Sub-Division and one overseer under training will be posted for the workshop in his plce. Thus provision for 2 overseer only has been made now.

(ii) No technician is proposed to be taken on the temporar establichment(other than those already ~~on the temporary~~ on the temporary establishment) in the proposals submitted now.

(iii) As the welding work had increased at the time when second proposal was submitted to Government, an assistant welder was recruited and as such the post was in-corporated to show the position of the establishment as it stood at the time of submission.

2. The work-charged and Muster Roll Establishment for which Government sanction is not required are excluded and, the extra cost involved in creating the Sub-Division is now furnished in the fresh statement submitted herewith.

3. From the provision of the staff now incorporated in the accompanying fresh statement it may please be seen that the barest minimum establishment that is essentially required for running the Mechanical Sub-Division efficiently has been provided.

4. It is requested that Government may kindly be moved to accord sanction for opening of the new Sub-Division with effect from 1st April 1950 or even earlier, if possible, for the detailed reasons reported in this office letter No.BM 16

dated the 24th February 1949.

Accompts:
1 Unofficial reference.
1 Statement
1 Revised Statement.

MBS. Superintending Engineer, S.C.

@@@@@

Pl. [illegible]
to S.B. II
PDLB
24/2/50

[illegible] Recd ✓
24/2

EB III
24/2. ~~EB I 23/2~~.
accom/to

P. W. D.
File No. 444/48
Serial No 14671

EB II

H17

444/48
79622

P.W.D.

EB-(III)

*This Deptt. File No 444/48/79622, on the subject noted in the margin, has been referred U.O. to the S.E. S.C. on the 23-12-49. That Officer ~~is~~ expedited under No. 444/48-E(III), dt. the 7th Feb. 1950.

* creating a new SubDn. for P.W.D. Workshop at Belgaon.

Issued 24/2/50

23/2/50

24.2.50

15-2-50

444/48/14671

E.B (III)

P.W.D

Submitted with ref. to this Deptt. U.O.R. dated the 23rd Dec. 1949 at p.13. N/c.

2. The S.E., S.C., has submitted a fresh statement p. 58-57 c/s of the staff required. He states that this is the barest minimum establt. that is essentially required for running the Mechanical sub-Dn. efficiently. The S.E. has given in details of the establt. at present employed and ~~and~~ the addl. establt. now required. The establt. proposed for this sub-Dn. is as follows:—

Estt. at present employed		Establt. required (with grade.)
	Office establt.	1, Sub-Dnl. Officer (Rs 220-15-400-EB-20-500-EB-650.
		1, Head clerk (Sub-Divn) (Rs. 100-8-140-EB-10-150)
		1, First clerk (Rs. 46-3-85-EB-4-105 starting salary Rs 55/-
		1, Store clerk (grade as above plus Rs 4/- C.A. p.m.
		1 Store Mukadam (Rs 35-1-50, plus C.A. Rs 4/- pm)
		2 Peons (Rs 30-½-35)
1, Khalasi (Rs. 30-½-35)		
	Workshop establt.	
2, Mechanical overseers (Rs 80-5-100-8-140-EB-10-220-EB-10-270)		1 Asstt. to Mechanical overseer (Rs. 70-3-85-4-105)
1, Black-smith, (Rs. 45-2-75).		

444/48/14671

20

1, Mechanic Gasoline
(Rs. 60-4-100-EB-4-120)

1, Oilman
(Rs. 35-1-50)

1, Mechanic steam
Road Roller
(Rs 60-4-100-EB-4-120)

1, Chawkidar
(Rs 30-½-35)

Except for the scale of Asstt to the Mech. Engineer other scales are in order. The scale of Rs 70-3-85-4-105 for Asstt Mechl Engineer may be approved.

3. As regards skilled and unskilled labourers it is stated that, P.59 C/S they will be employed as and when required depending upon the work and the expenditure debited directly to the works concerned.

4. The S.E. finally requests, P.15 N/C. that sanction for opening of the new sub-Dn. with effect from 1st April 1950 or even earlier, if possible, may be accorded.

5 It is for consideration whether the P.W.D. workshop in the Belgaum Dn. may be converted into a Mechanical sub-Dnl. charge upto the 28-2-1951 in the first instance and the tempy. estabt. as detailed in para 2 above may be sanctioned for the same period. If so the papers may be refd. u.o. to the F.D. for its concurrence.

Thro E.B (I) (II) & AB (III)

BVB
11/3/50

11-3-50.

13-3-50

6. The cost is debitable to the head "50-C-III-Provincial-Establt. (Ordy.)". The average annual cost involved in this proposal comes to about Rs. 11,486 (exclusive of allowances). The cost exceeds Rs. 5,000/- per annum, and it is of a recurring nature. If it is decided to sanction the establt. with immediate effect, the L.A.'s approval will have to be anticipated in concurrence with the F.D. The supplementary demand statement to obtain the L.A.'s approval will, however, be forwarded to that Deptt. in due course.

15-3-50.

In view of the present financial stringency

P.T.O.

it is not possible to proceed further with this proposal of forming a separate Mechanical Subdn at Belgaum. We may however sanction the following additional temporary staff, to cope up with the increased work in the Divisional Workshop, at Belgaum

		Pay - Scale Rs
1	Assistant Mechanical Overseer	70-3-85-4-105 ~~(Proposed)~~ -5-145
1	Store clerk	46-3-85-6-B-4-105
1	Peon, or Khalasi	30-½-35.

The S.E may employ additional technicians on work-charged establishment according to the volume of work ~~It may first be ascertained from the S.E.~~

Y 15/3/50

I agree

Ch Eng

22.3.50

Secy

U.O.R. to the F.D., dt 24th March 1950.

in D (10.4.50)

23/3

FINANCE DEPARTMENT
File No. B
Date
Serial No. 24/3/50

Finance Department.'B'

Please see D.S.P.W.D's note dated 15-3-1950 in which it has been proposed to sanction the following additional staf

for the Divisional Work shop at Belgaum:

Posts	Pay scale
1. Asst. Mechanical Overseer	Rs.70-3-85-4-105-5-14
1 Store Clerk	Rs.46-3-85EB-4-105
1 Peon or Khalasi	Rs. 30-½-35

2. Though there appears some case for the sanction of some addl. staff in the present case - vide statistics furnished in the statement on page 1 (c) - , it do not seem desirable to sanction any fresh posts at this stage since the whole staf is to come under the review of the Retrenchment Officer appointed by Govt. As the appointment of addl. staff does not seem to be such as cannot wait for some time, F.D. may suggest that pendin the review by the Retrenchment Officer the question may be postponed for a peri of 6 months.

14/4

14/4

D.S.(B)

n.o.r. to P.W.D. Dated 14.4.195

E(III) 18/4

17/4

P. W. D.
File No. 444/48
Serial No 30386

E.B.(III).

Submitted with ref. to this Deptt. U.O.R. dated the 24th March 1950 at p.22 N/c.

2. It is for consideration whether the suggestion made by the F.D. in its note P.23 N/c dated the 14-4-1950 is to be accepted. If so, the draft P.65 c/s put up may issue, if approved.

RVB
22/4/50

24/4/50

Dy. Secy

E/48./87562

EB (II). P.W.D.

Submitted with ref. to the S.E., S.C's
P-67-C
ter No. BM.16, dt. the 19th Oct. 1950.

2. The S.E., S.C has repeated his request g. opening of a new Sub. Dn. for the w.D. workshop at Belgaum.

pp-19-21 ante

3. The proposal was considered in detail the past but on the advice of ~~from~~ the D., the S.E. was requested to take up P-65-C 2 question after a period of six months.

4. The papers may now be shown u.o. to the F.D. with reference to that Dept note, dt. the 14th April 1950 P-23 ante.

thro AB(III).

JRB 7.10.50.

[illegible]

Under 27-10-50

As the retrenchment proposals have not yet been finalised the question of sanctioning this new Subdn. may be held over for six months more.

Dy Secy.

u.o.

KJ 8/10/50

Resubmitted with a draft for approval.

JRB 6.11.50.

Ch Engr

x p-69-C

KJ 7/11/50

Dy Secy

G. D., No. 2108, dated 22-5-22.]

Std. Scott. 78 a.

DOCKET SHEET

File No. 444/48

P.W. DEPT.

E BRANCH.(1)

eferences :—

Date.	To whom sent.	Notes and instructions.

Statement No.

Statement showing rougly the grouth of P.W.D. Workshop Belgaum time to time.

S. No.	Particulars.	1945-46	1946-47	1947-48	1948-49	Anticipated in the beginning of 1949.	Remarks.
1	Machinery like rollers trucks pumps etc. (Belgaum Dn., only)	49055	151325	209431	220530	366980	This includes the machinery provided T & P estimate for 1948-49 but exclu mechincal unit (Boring plant) of V.W.S. (S.E.S.C's letter No.D.M.19, dated 24-5-1948) and xx auto servici unti (D.O.P-248/43398=Con, dated 14-1948) including these the value of machinery will be more than 400000 a this does not include the provision 12 trucks.
2	Tools like hand tools, machine tools etc. (Belgaum Dn. ,only)	12	2152	8657	34270	40170	
3	Turn out of workshop daily average.	30	35	70	100	300	Turn out is expected to be treble th present.
4	Average No. of men employed in Workshop including one overseer.	7	9	14	23	32	

Present Strength.	
One Overseer.	
One Khalasi.	
One Clerk & 20 Workmen.	23
Additional Strength Required.	
One Overseer	
One Clerk	2
8 Workmen.	8
	33

Sd/- x
Executive Engineer, Belgaum Dn

Statement No 2.

List showing the details of the machinery at present working in the Belgaum Division.

Particulars of Machinery	No.	Cost. Rs.
Steam Road Rollers.	7	67,500
Diesel Rollers.	4	82,000
Motor Vehicles (3 trucks and 3 water tankers)	6	40,000
Concrete Mixer,	1	5,900
Stone Crusher with oil Engine.	1	4,900
Stone crusher with portable boiler.	1	8,000
Pumping plants portable with accessories.	2	5,000
Mechanical Unit for Village Water Supply.	1	20,800
Stationery Pumping set for Head Quarter Police Lines, Belgaum.	1	6,000
Calyx boring plant	1	3,000
Asphalt Boilers.	2	400
		2,43,500
Machinery for the Kolchi Weir Construction at Ramdurg.		
7 Pumps, 1 Engine and accessories etc.		1,67,800
	Total	4,11,300
Belgaum Tools and plant. Special Tools for Ramdurg for the work of Kolchi Weir Construction.		1,83,200
Pile Driving plant Rs.36,000/- and Wire rope flanges, piping etc. Rs.14,000		
Grand Total Rs.50,000		50,000
	Grand Total	6,44,500

VDK.

Superintending Engineer, S.C.

Line Diagram of the Mechanical Sub-Division and Public Works Department Workshop, Belgaum

SUB-DIVISIONAL OFFICER
(Mechanical)

Office

Head Clerk with knowledge of accounts.
2nd Clerk
Store Clerk

Hondikeri & Store Collie (Literate)

2 Peons &
1 Chowkidar.

WORKSHOP BELGAUM

Mechanical Overseer (B.E)

Asstt. Mecl. Oversee (D.M.E.)

ead Turner 1*
nd Turner 1*
oy Turner 1*
rainees. 2£

Electric & gas welder & nonferrous moulder 1 (&)
Assistnat Moulder 1
Trainee 1(&)

Blacksmith 1
Hammer boy, 1
Trainee 1
Sheet metal Worker 1
Assistant 1
Trainee 1*

Carpenters 2*
Trainees 2£

Gasoline Engines.
Mechanic 1
Asstt. Mechanic 1
Fitters 2
Oil man fitter 1*
Electrician 1
Trainees 3

Steam & Diesel. Pumps etc.
Mechanic (SRR) 1
Mechanic (DRR) 1*
Trainees 2£

Ramdurg.
Mechanical Overseer (B.E.)@
Asstt. Mechl. Overseer (D.M.E.)@
Other establishment. (&)

Mechanical Overseer of other Divisions of their establishment

Pay of all establishment as per latest Government rules.
* Already working in the Workshop, Belgaum.
@ Under active consideration of Circle Office
£ One already working in Workshop Belgaum.
(&) Under active consideration of Divisional Office, Belgaum

EARLY. No.B. M.16.
Executive Engineer's Office,
Belgaum, 13th December 1948.

To

The Superintending Engineer,
Southern Circle, Belgaum.

Subject:- Mechanical Sub-Division for
P.W.D.Workshop Belgaum -
Creation of .

The statement showing roughly the growth of P.W. Workshop Belgaum from year to year in the last three years, (please vide enclosure to this office No.G-30(dated 27-10-1948), showed that at present the Belgaum Division alone has machinery worth Rs.4,00,000/- and hand tools and Workshop equipment of Rs.40,170/-. Wi the addition of Kolchi Weir machinery, I have to poin out that the machinery worth of the Division will be roughly Rs.6,00,000/-, and hand tools and Workshop equipment etc. above Rs.50,000/-.

2. It is roughly estimated by the Mechanical Overse Mr. Sirsi, who has toured all the Divisions in the Circle repairing machines as occasions arose, that machinery worth of the Circle will be more than Rs.15,00,000/- and hand tools and workshop equipments etc. nearly a lakh.

3. In this office No.G-40, dated 13-10-1948 it has been pointed out that the work in P.W.D.Workshop Belg has grown very much un-wieldy for one Mechanical overseer in charge now, and the immediate appointment of another additional Mechanical Overseer has already neen pressed, and is under the active consideration c the Circle Office at present. This Workshop has been attending to the repairs of the machines in Southern Circle, and also of Bijapur Division in Eastern Circle, and may have also to attend to the repairs of the machines of the Miraj Division, in due course of time. Even this Workshop is found to be inadequate t cope up with the Mechanical aid required for machiner operation in the four Divisions of the Circle,. For, the need of Mechanical Overseer separately in Kanara and Ratnagiri Divisions is being keenly felt by the respective Executive Engineers, and there i already a Mechanical Overseer working in Dharwar Division since three years. In addition to the present duties P.W.D.Workshop Belgaum has now to meet the demand of mechanical side of the Weir Constructi at Ramdurg and Government have also sanctioned a Mechanical Overseer exclusively for this weir work, please vide statement A of G.R., P.W.D., No.9304/3 dated the 29-9-1948.

4. With these appointments there will be six Mechanical Overseers - three in Belgaum Division, and one in each of the three other Divisions in the Circle. To exercise economy in operation, utility maintenance and prompt repairs to the machinery (para 1) to harmonise the labours of Mechanical Overseers (Para 2), to pool road making machinery etc. centrally for rendering ready mechanical aid, to any part of the Circle, and to store machinery accessories etc., for speedy draw by officers in distant interior places unrepresented by manufactu a Mechanical Sub-Division is the much needed desideratum. There is already a nucleus equipment and staff for the Workshop. With the arrival of t new machinery and recruitment of some more staff, t formation of the Sub-Division will not be a

difficult matter. I have, [illegible] conversion of P.W.D. Workshop Belgaum, into a Mechanical Sub-Division with a structure shown in the attached diagram; and request you to recommend to Government for its early sanction.

In addition to other advantages the following objects can also be gained by an enlarged Workshop Organisation -

(i) There is already a tendency in India to go in for labour saving and universal utility machines and I expect Belgaum may in due course be selected for locating one of the Central Plant Pools for this part of the country, this being the Headquarters of th Circle Office. We will have to strengthen our Mechanical Engineering side and for this the Central Workshop and a plant pool are the immediate necessaries.

(ii) We may have to handle very soon large numbers of the following categories of machinery.-

(a) For earth work and metalling :- Scarpers, tractors, Angle Dozers, Crushers, rollers, trucks et

(b) Irrigation Works :- Pneumatic equipment, Mixers, pile driving plant, Engines, pumps etc.

(iii) Belgum Workshop should be a training centre for boys above 16 years of age, in the various trades of Workshop operation, and Diesel, Steam and Gasoline engines' mechanism. Such a scheme will not only provide cheap labour for Workshop, but also practical technicians for the contiguous districts area of paucity in technical skill. The workshop at Belgaum will provide a good facility of repairs and over-haulin for the Central Pool Machinery too.

ing (iv) The Mechanical Sub-Division should also house a Soil-Mechanics Section, with a modest laboratory to ascertain the mechanical properties and behavour of different kinds of soils and materials, used in this part of the Province. Advantage of having a soil-mechanic laboratroy for the 2nd Class tanks and Post War Works needs no emphasis.

6. As Kolchi Weir construction has to begin very soon, and as there are several machines in repairable condition needing renovation, as the working machinery in the Circle require urgent uniform servicing method, top-up techique, and studied repair practice, I have to request you to please create a Mechanical Sub- Division in Belgaum immediately. Any postponemen would mean loss of timely and quick mechanical aid for the several kinds of machinery now working in the Circle and consequent stopping of urgent and importan works.

7. It may also be pointed out that the central Workshop at Dapuri is absolutely overworked and fa away to render necessary mechanical aid to the inc machinery in this part of the province including t merged states, in an efficient, economical and expeditious manner.

Proposals for the accounting system for the Workshop (please vide your letter No.G-30(1), dat 18-11-1948, is being framed to suit the proposed Mechanical Sub-Division, and will be submitted soo for your approval.

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government, ✓
Public Works Department,
BOMBAY.

No. B.M.76

Public Works Departme
Belgaum, 24th February

Subject:- Creation of a Mechanical Sub-Division for the P.W.D.Wo -shop at Belgaum.

The Belgaum P.W.D.Division in this Circle ha got a work-shop at Belgaum which has been functio ing since last 4 years. The workshop was in the beginning carrying out petty repairs to tools and plant. Since 1947 due to Post War Works in this Circle, the work-shop has been progressively expanding and is now equipped fully to undertake repair works of all kinds of tools and plant including heavy machineries in the Belgaum as well as in the other Divisions in this Circle. The accompanying statement No.1 shows the steady growth of the P.W.D.Workshop at Belgaum. A statement No.2 showing the machinery in Belgaum Division is also attached for perusal.

2. Heavy plant and machinery such as steam road rollers, motor trucks, stone crushers, asphalt boilers etc. worth about Rs.15,00,000/- are owned by this Circle in addition to hand tools and workshop equipments costing roughly Rs.1,00,000/-.

3. The Belgaum P.W.D. Workshop has been carrying out repairs to the machines of all the Divisions in this Circle and some times also of the machinery pertaining to the Bijapur Division in the Eastern Circle and occasionally repairs to trucks belongin to other Government Departments have also to be undertaken in emergent cases. To add to this, thi Circle has also to cope up with the P.W.D.Works in the State areas merged with the Belgaum, Dharwa and Ratnagiri Districts and the workshop at Belgaum has to meet the demand of the mechanical side of the Kolchi Weir Construction Scheme at Ramdurg. This has resulted in all round and considerable increase in work in all the Divisions in this Circle.

4. It has, therefore, become impossible for the mechanical overseer in charge of the workshop to cope up with the increased pressure of work and to maintain accounts of the workshop with the existing meagre staff.

workshop will be able to handle any kind of heavy and intricate mechanical work.

6. The Dapuri Workshop is heavily worked. Beside due to Railway bottle-neck and priorities, it has become difficult to send heavy machinery, parts etc to Dapuri for repairs and get them back expeditious with the result the progress on works suffer -- considerably.

7. Orders for new xxx machinery for P.W.D.Works in the Divisions in this Circle have already been issued and with the arrival of the machinery and heavy plant etc., the work in the workshop will further increase. One mechanical overseer for eac of the Dharwar, Kanara and Ratnagiri Division is being appointed and one mechanical overseer for Kolchi Weir work has already been appointed in the Belgaum Division and appointment of one more -- mechanical overseer for the work-shop is also bei made to cope with the work.

8. In view of the increased activities of the P.W.D. Workshop at Belgaum, the Executive Engineer, Belgaum Division in his letter No.B.M.16, dated the 13th December 1948 (copy attached) has proposed t convert the present workshop into a Mechanical Sub-Division with Temporary Establishment as shown in the accompanying Diagram of the proposed Sub-Division. I entirely agree with the Executive Engineer's proposals. The formation of the Sub-Division will also facilitate the proper --- maintenance of accounts also.

9. Under the above circumstances I would request that Government may, in your concurrence, kindly b moved to accord sanction to the conversion of the P.W.D.Workshop at Belgaum into a Mechanical Sub-Division with effect from 1st April 1949 for the proper and efficient up-keep and repairs of several kinds of machinery etc. in this Circle as this will enable the Department to push on with the several Post War and other works in progress as well as proposed to be taken for execution hereafter.

Accompts:-
2 Statements.
1 Diagram.
1 Copy of
 Ex. Engr's
 Letter.

Superintending Engineer, S.C.

VDK.

5/3

EB (1) 4/3

3/

P. W. D.
File No. 444/48
Serial No. 15331

EB(1)
28 Mch

15 — 444/48/15331.

Letter:

No. 444/48 E(I).

P.W.D.

B.C., 13th March 1949.

To

The S.E., S.C.

Sub:- Creation of a new Sub-Dn. for the P.W.D. Work-shop at Belgaum.

Refce.: Your letter No. B.M. 16, dated the 24-2-49. p11

2. Please furnish the following information —

(i) The estabt. at present employed in the P.W.D. Work-shop in the Belgaum Dn.; permanent, tempy. and work-charged being shown separately.

(ii) Addl. estabt. (exclusive of the abo required for the proposed new ~~Sub~~ Sub-Dn. with full justification in support thereof.

(iii) Scales of pay for the addl. estabt. Wherever possible pay-scales sanctioned for the corresponding existing posts (Pt. or Tempy.) should be adopted.

(iv) Minimum edl. qualifications expected for the posts & the nature of duties expected to be performed by the

you are requested to state

whether any difficulty is likely to be experienced ~~for~~ in securing the services of adequately trained and experienced staff for the ~~propose~~ proposed Subst.

D.A: nil.

By order of the G. of B.,

BH
11-3-69.

H/12/3/69

[illegible]

Spare copy
12/3/69

[illegible]

Letter. 17

No. 444/48-E(I).

Public Works Department,
Bombay Castle, 13th March 1949.

To

The Superintending Engineer, Southern Circle.

Subject:- Creation of a new Sub-Division for the Public Works Department Work-shop at Belgaum.

Reference: Your letter No. B.M.16, dated the 24th February 1949.

2. Please furnish the following information -

(i) The establishment at present employed in the Public Works Department Work-shop in the Belgaum Division, permanent, temporary and work-charged being shown separately.

(ii) Additional establishment (exclusive of the above) required for the proposed new Sub-Division with full justification in support thereof.

(iii) Scales of pay for the additional establishment, wherever possible pay-scales sanctioned for the corresponding existing posts (permanent and temporary) should be adopted.

(iv) Minimum educational qualifications expected for the posts and the nature of duties expected to be performed by them.

3. You are requested to state whether any difficulty is likely to be experienced in securing the services of adequately trained and experienced staff for the proposed Sub-Division.

By order of the Governor of Bombay,

14/3/49

For Deputy Secretary to the Government of Bombay,
Public Works Department.

13/4

D.A.-Nil.

/13-3-49.

21/3/49.

Statement showing the details and information required as per Government (P.W.D.)Bombay.
letter No.444/48-E(I) dated 13-3-1949 regarding ereation of a new Sub-Division for P.W.D.Workshop at Belgatm.

Names of posts in the proposed Mechanical Sub-Division.	Establishment at present employed.				Total at present working.	Additional Estt: required for new Sub-Division.				Total of additional establishment required.	Total strength of Sub-Division (4 + 6)	Scales of pay for the existing & additional establishment of the proposed Sub-Dn.	Minimum Educational qualifications expected and nature of duties to be performed.	Remark
	Permanent	Temporary	Workcharged	Muster Roll		Permanent	Temporary	Workcharged	Muster Roll					
Sub-Divisional Officer.	-	-	-	-	-	-	1	-	-	1	1	220-15-400 E.B. 20-500 E.B.25-650	B.E.Mechl/Elecl any recognised versity with at least 5 years practical experience in workshop and handling of labour - Management and direction -	
Office - Head Clerk.	-	-	-	-	-	-	1	-	-	1	1	100-8-140-10-150	Matriculation - Experience in office routine and shop Accounts - office management; keeping of shop Accounts.	
First Clerk.	-	-	1	-	1	-	-	-	-	-	1	46-3-85-E.B.4-105	Matriculation-correspondence -	The two clerks to be taken or temporar Estt:
Store Clerk.	-	-	1	-	1	-	-	-	-	-	1	46-3-85 E.B.4-105	Matriculation - Store accounting and upkeep.	
Store coolie and Hondekeri	-	-	-	-	-	-	1	-	-	1	1	46-3-85 E.B.4-105	Non-Matriculate - Aiding Store Clerk i daily issue of stores and tools, and receipt;and collection of stores.	
Peons ✓	-	-	-	-	-	-	2	-	-	2	2	30-½-35	3rd or 4th class Kannada/Marathi - fo office estt: - aid -	
Khalasi ✓	-	1	-	-	1	-	-	-	-	-	1	30-½-35	3rd or 4th class Kannada/Marathi -for workshop Mechanical Overseer - aid-	

Workshop Belgaum.

Mechanical Overseer	1 (Rndy)	-	-	-	1	-	-	-	-	-	1	80-5-100-8-140 E.B. 10-220-E.B.10-270	B.E.Mechl/Elecl of any recognised University -Workshop experience desirable-Belgaum workshop -management.
Assistant to Mechanical Overseer	-	-	-	-	-	-	1	-	-	1	1	80-5-100-8-140 E.B. 10-220 E.B.10-270	Certificate in Mechl/Elecl Engineering of any recognised Institution - Workshop experinece of 2 to 3 years preferred - Aiding Mechanical Overseer and Mill wright work.
Head Turner	-	-	1	-	1	-	-	-	-	-	1	55-3-85-E.B.4-105	3/5 to 7 years experience in Turning. Reading of dimensioned sketches - Simple ~~mathematic~~ arith for lathe work.
First Turner	-	-	1	-	1	-	-	-	-	-	1	No scale available. Present pay 25/+ + 5/+ -35/- of man now working.	
Boy Turner	-	-	-	1	1	-	-	-	-	-	1	No scale available proposed 46-3-85	
Trainee (Turning)	-	-	-	1	1	-	-	-	-	-	1	Nil on daily wage basis - Present wage Rs.1/- per day of boy now working	Reading-writing and and arithmetic -
Welder (Electric and gas.) with knowledge of non-ferrous moulding and casting.	-	-	1	-	1	-	-	-	-	-	1	No scale available Present pay 30/- + 5/- + 35/- proposed 52-3-85 E.B.4-105	Reading of dimensioned sketches - 3 to 5 years experience in various kinds of welding-for welding and moulding jobs-

✓ Assistant to ✓ Welder/Moulder	-	-	-	-	-	-	-	1	-	1	1	No scale available- Proposed 46-3-85	Reading of dimensioned sketches - 3 to 5 years experience in non-ferrous moulding and casting-for aiding /4 in moulding work -
Trainee(Moulding and casting)	-	-	-	-	-	-	-	-	1	1	1	- nil - on daily wage basis	Reading writing and simple arithmetic.
Blacksmith	-	1	-	-	1	-	-	-	-	- 45 1.	1 1.	30-1-40 E.B.1-50 (old and unrevised present pay of man working 35/- + 5/-, + 35/- Proposed 46-3-85	3/5 or 7 years experience in blacksmithing work -Reading of dimensioned sketches - for smithy
Hammer boy (Coolie)	-	-	1	-	1	-	-	-	-	-	1	30-½-35 -	-nil- Previous experience in smith's shop as Hammer boy
Trainee (black-smithy work)	-	-	-	-	-	-	-	-	1	1	1	-nil-on daily wage basis.	Reading,writing and simple arithmetic.
Sheet Metal worker ✓	-	-	1	-	1	-	-	-	-	-	1	No scale available present pay Rs.30/- + 5/- + 35/- of man now working- Proposed 55-3-85 E.B.4-125	Reading of dimensioned sketches - 7 to 10 years experience in sheet metal work-for sheet metal work in workshop
Assistant sheet metal worker.	-	-	-	1	1	-	-	-	-	-	1	No scale available Proposed 46-3-85	Reading of dimensioned sketches 2 to 3 years experience in sheet metal shop-aid to sheet metal worker.

													slightly ~~disabled~~ disabled for watch.	To be filled in S.E.S.C's office.
Other Divisions of the Circle. Mechanical Overseers and their tradesmen as and when required. Kolchi weir Ramdurg.														
Mechanical Overseer.	-	1	-	-	1	-	-	-	-	-	1	80-5-100-6-140 E.B. 10-220-E.F.10-270	B.E.Mechl/Elecl of any recognised University-experience in constructional machinery desirable.	
Assistant Mechanical Overseer.	-	-	-	-	-	-	1	-	-	1	1	80-5-100-8-140.E.B. 10-220-E.B.10-270	Certificate in Mechl/Elecl engg:of any recognised Institution-experience in construction machinery desirable.	
Mechanics	-	-	1	-	1	-	-	2	-	2	3	60-4-100 E.B.4-120	For attending to the operation of 7 pumping sets, Pile driving plant, generators electrical pumps - etc. etc.	
Fitters - -	-	-	1	-	1	-	-	5	-	5	6	55-3-85-E.B.4-105		
and other tradesman required by exingencies of weir construction work.	1	6	14	6	27	-	8	9	8	25	52	(1)The above scales of pay are from G.R.(Finance Dept)No.6567/33-1 of 15-1-48 Section P.W.D.Muffusil - (2)Scale of pay of S.No.28-is as per G.R.P.W.D.No.6919/36 dated 11-12-1948. (3)Scale of pay of S.No.1 is as per G.R.(F.D)No.6567/33-1 of 6-7-48		

Very urgent.
No.B.M.16

S.C.
Date 29-3-49

Executive Engineer's Office,
Belgaum: 28th March 1949.

Forwarded with compliments, to the Superintending Engineer, S.C.Belgaum for information with reference to his endorsement No.B.M.16 of 19-3-1949

2. P.W.D.Workshop, Belgaum, like other workshops of its kind - has three general sections, viz: shaping, finishing and fitting (or repairing). As demand for mechanical and for repairs, mainteance and servicing of machines in the Division and in the circle grew with the increase in machines, the repair section of workshop also grew. So that now shaping and finishing sections are under manned to keep up the progress of repair section, and the mechanical overseer has to constantly seek outside help with its attendant inconveniences to schedule work, delay and expense. With shop work, its accounting and correspondence have to keep pace. To obviate these handicaps in the workshop, additional establishment is essential, and it is observed from the statement, the additional staff proposed is predominantly in the office, and shaping and finishing sections of workshop. With the total staff, the Sub-Division will be a well-knit organisation to render studied repair, maintenance of servicing practice. (This office No.B.M.16 of 13-12-1948)

3. There is no difficulty in securing the services of qualified men, and trained and experienced workmen for the proposed Sub-Division.

4. Government may please be moved to approve of opening the Sub-Division immediately with your concurrence.

(Original)

K.I.D.26-3-49.

B. Krishnaiyya
Executive Engineer, Belgaum Dn. 28/3/49

Superintending Engineer, S. C.

22	Trainee	-	-	-	-	-	-	-	-	1	1	1	-nil- on daily wage basis.	Reading, writing & simple arithmetic.
23	Carpenter	-	-	1	1	2	-	-	-	-	-	2	45-1-50-2-70	Reading of dimensioned sketches - 5 to 7 years experience in carpentry various works including body building for motors, repairs, etc, for wood work in workshop.
24	Trainee(Carpentry)	-	-	-	1	1	-	-	-	1	1	2	-nil-on daily wage basis.	Reading, writing & simple arithmetic.
25	Mechanic(Gasolene) ✓	-	1	-	-	1	-	-	-	-	-	1	60-4-100 E.B. 4-120	Heavy vehicle(transport)driving licence and 7 years experience in Automobile and other petrol engines' repairs -for motor repairs.
26	Assistant Mechanic (Gasolene)	-	-	-	-	-	-	-	1	-	1	1	No scale available Proposed 60-4-100 E.B.4-120	H.T.V.Driving licence and 3 years experience.
27	Fitters(Automobile) ✓	-	-	2	-	2	-	-	-	-	-	2.	55-3-85 E.B.4-105	2 to 3 years experience in Auto -repair shop.
28	Oilman (fitter) ✓	-	1	-	-	1	-	-	-	-	-	1	35-1-50	2 to 3 years' experience as oilman or greasing boy in Autc repair shop.
29	Electrician. ✓	-	-	1	-	1	-	-	-	-	-	1	no scale available present pay Rs.30/- + 5/- + 35/- n now working sed 60-4-100	Certificate of having attended and undergone training in any technical or trade coaching centre-

														experience 3 to 5 years as electrician in Auto repair shop, knowledge of wiring, armature winding, circuit testing and battery charging for electrical jobs.
30	Trainee (Auto)	-	-	-	-	-	-	-	-	3	3	3	-nil-on daily wage basis	Reading,writing & simple arithmetic.
31	Mechanic (Steam Road roller) and spare driver.	-	-	1	-	1	-	-	-	-	-	1	60-4-100 E.B.4-120 (or S.R.R.Driver's scale when revised)	First ~~and~~ or second class boiler attendants certificate, 5 to 7 years experience in boiler attendance-for repairs and maintenance of S.R.Rs.
32	Mechanic ("Diesel road roller") and spare driver.	-	1	-	-	1	-	-	-	-	-	1	60-4-100 E.B. 4-120 (or D.R.R Driver's scale when revised)	3/4th class Kannada or Marathi - 10 year experience in repair to and maintenance of Diesel engines & pumps - for Diesel engine and pumps repairs.
33	Trainee (for steam and Diesel engg.)	-	-	-	1	1	-	-	-	1	1	2	-nil-on daily wage basis	Reading,writing & simple arithmetic.
34	Chowkidar ✓	-	-	-	-	-	-	1	-	-	1	1	30 - ½ - 35	nil-Good physique & certificate of good conduct from person of public repute in the locality - ex-servicemen
	Total	1 (Pvslly)	5	12	6	24	-	7	2	8	17	41		

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
BOMBAY.

No.B.M.16.

Public Works Department,
Belgaum, 6 th April 1949.

Subject :- Creation of a new Sub-Division for P.W.D.Work-shop at Belgaum.

Reference :- Government Letter No.444/48-E(I), dated the 13th March 1949. p 17

A statement giving the information as called for in the above Government Letter is submitted herewith.

2. In view of what has been reported by the Executive Engineer, Belgaum Division in paras 2 and 3 of his endorsement on the enclosed statement, the additional staff as proposed therein is just to the requirements and can be secured without difficulty. It is, therefore, requested that Government may kindly be moved to accord sanction to the conversion of the Public Works Department Work-shop at Belgaum ~~with~~ a Mechanical Sub-Division as early a date as possible.

3. The pile driving plant for Kolchi Weir has been received recently as also the pneumatic rock drilling machine from the Executive Engineer, Presidency and hand boring plant from Dapuri Work-shop.

4. The work-shop equipments like lathe, welding plant cylinder boring bar etc., are already received and set up in the workshop. So, to start work with these equipments the Sub-Division is necessary and opening of the Sub-Division immediately by the end of April 1949 may please be approved so that the machinery may not be kept idle for want of direction and management.

sdk.

Superintending Engineer, S.C.

8/4

ES(I)

P.W.D.

For disposal. pl. see serial No. 3-21 88

23-5-49

P. W. D.
File No. 444/48
No. 23753

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
BOMBAY.

No.B.M.16.

Public Works Department,
Belgaum, 10. May 1949.

Subject :- Creation of a new Sub-Division for P.W.D. Workshop at Belgaum.

p. 1

Reference :- This office letters No.B.M.16, dated the 24th February 1949 and 6th April 1949. p. 2)

The favour of early orders in the matter is requested.

Superintending Engineer, S.C.

sdk.

EO(E1).-

PSD

For disposal pl. [illegible] see: notes.
section

23.5[illegible]

E(1)1315

444/68

32188

444/48
3218.8

Letter.

No 444/48-E (II)

P. W.D.
B.C. 14th June 49

To.

The S.E., S.C.

Sub: Creation of a new Sub-Dn for P.W.D. workshop at B
p.27

Ref. your letter No. B.M.16, dat the 6-4-49.

2 Before considering the proposa for the creation of a new Sub-D f the PWD workshop at Belgaum it is necy. to justify in greater detai the the scales proposed in respect of the following posts:-

(1) Store-coolie
(2) Asstt. to Mech. Overseer
(3) First Turner
(4) Boy Turner
(5) Welder
(6) Asstt. Welder
(7) Sheet Metal
(8) Asstt. Sheet Metal worker
(9) Asstt. Mechanic (Gasoline)
(10) Electrician.

It shd. be explained with particulars reference to the duties of the posts as also the scales current for similar post elsewhere

444/48
3218,8

Letter.

No 444/48-E(II)

P. W.D.
B.C. 14/15 June '49

To.
The S.E., S.C.

Sub: Creation of a new Sub-Dn. for P.W.D. workshop at Bel
(p.27)

Ref. your letter No B.M.16, dated the 6-4-49.

2 Before considering the proposals for the creation of a new Sub-D for the PWD workshop at Belgaum it is necy. to justify in greater detail the the scales proposed in respect of the following posts :-

(1) Store-coolie
(2) Astt. to Mech. Overseer
(3) First Turner
(4) Boy Turner
(5) Welder
(6) Astt. Welder
(7) Sheet Metal Worker
(8) Astt. Sheet Metal Worker
(9) Astt. Mechanic (Gasoline)
(10) Electrician.

It shd. be explained with particular reference to the duties of the posts as also the scales current for similar p elsewhere

elsewhere, whether the proposed Scales p require any modifications.

3 The necessity of employing trainees is not clear & Govt consider that it is not necy. as future apprentices will have to be paid the same wages as regular labour employed in workshops.

4. The Sub-Dn need not undertake all the work elaborated in the S.E., K-I-C's letter. There is no necessity of a Soil Mechanics laboratory as the SE K-I-C. will be the proper person to undertake it.

5. You are requested to submit revised proposals in the light of the above remarks.

By order of the G. of B.

D.A.
Nil.

S.A.J.
13-6-49.

15/6/49

13/6/49

E.B.(II)

P.W.D.

The S.E., S.C. has been expedited No. 444/48-E(II), dt. the 25th July 1949.

7.49.

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
BOMBAY.

No.B.M.16.

Public Works Department,
Belgaum, 3rd August 1949.

Subject:- Creation of a new Sub-Division for Public Works Department workshop at Belgaum.

p.31

Reference:- G.L. No.444/48-E(II), dated the 14th June 1949 and subsequent reminder dated the 25th July 1949.

x 32

The information called for in the above letter will be furnished to Government immediately on receipt of certain further report from the Executive Engineer, Belgaum Division.

VDK.

Superintending Engineer,S.C.

444/48/51383. 34

E.B (II)

P.W.I.

Await.

HMK
6.8.49

D.N.B.
10/8/49

E B II

No. 444/48

Serial No. 51383

Assistant to Mechanical Overseer.	Temporary	Certificate in Mechanical/Elec: Eng: of any institute workshop experience of 2/3 years preferred.	Sectional charge Inspection and supervision of repairs to plant and machinery Erection etc. Mill wright work	80-5-100-8-140 E.B. 10-220 E.B 10-270	70-3-85-4-105-5-145	post similar to Sub-Overseer's post for certificate holder.
First Turner — Assistant Turner.	Workcharged.	Experience of 3/5 years Turning. Turing parts as per sketches.	Turning parts as per sample given.	46-3-85	46-3-85	Post similar to Assistant Turner. Karkuns grade in P.W.D.
Boy Turner	Workcharged	Experience of 2 years in turing workshop	Tools GRINDING setting tools. parts cleaning oiling and maintenance of lathes.	46-3-85	35-1-50	-do- Mucadam grade in P.W.D.
Welder	Workcharged	Knowledge of electric and Gas welding moulding and casting, reading of drawings	Electric and Gas welding the ferrous and non ferrous metals, Moulding and casting parts.	52-3-85 E.B.4-105	55-3-85 E.B 4-105	Fitters grade In P.W.D.

Assistant Welder/Moulder (New post)	Workcharged	Knowlege of welding electric and gas moulding 3/5 years experience.	Welding of ferrous and non-ferrous metals moulding as directed and maintenance of welding plant Assistant Welder.	46-3-85	46-3-85.	The scale is similar to those of karkuns in P.W.D. but being assistant are suitable.
Sheet Metal worker (existing post)	Workcharged	Experience in sheet metal work for 7/10 years -. Reading of drawings.	Preparing parts as per drawings from sheet metal.	55-3-85 4-125	55-3-85 E.B. 4.105	Fitter grade in P.W.D.
Assistant sheet metal worker. (existing post)	Workcharged	3/5 experience in sheet metal work reading of drawings.	Preparing parts in sheet metal as directed.	46-3-85	46-3-85	The remark against item 6 applies here also.
Assistant Mechanic (Gasolene) (New post)	Workcharged	Heavy vehicle (Transport) workshop experience 3/5 year Automobile and petrol engine repairs.	overhauling automobile engines Gasolene engines Fault detection repairing. testing performance.	60-4-100 E.B.4-120	55-3-85-4 105	Assistant to Mechanic work being of higher grade the scales of maistries in P.W.D. is proposed.
Electrician (Mechanic)	Workcharged.	Certificate of having attended and undergone training in any technical or trade coaching centre.	Repairing and testing automobiles electrical circuit complete. Testing and	60-4-100 E.B.4-120	70-3-85-4-105-5-145	The scales are of those proposed for Sub-Overseer in P.W.D.

Experience 3/5 years as electricians in Auto repairs shop, knowledge of wiring armature winding circuit, and battery charging	repairing electric Dynamo motor Horns, charging battery. Armature winding repairing electric driven machinery of the workshop.

B. Krishnayya 27/7

Executive Engineer, B.Dn.

27/7

[illegible]

K:I.D.26-7-49

LETTER.

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
Public Works Department, BOMBAY.

No.BM-16.

Public Works Department,
Belgaum, 10th August, 49.

Subject : Creation of a new Sub-Division for Public Works Department Workshop at Belgaum. P 31

Reference: Government Letter No.444/48-E(II) dated the 14th June, 1949.

A revised statement showing the duties required to be performed by the staff mentioned in para 2 of the above Government Letter with the previous and now modified scales etc. is submitted herewith.

2. The necessity for the creation of a new Sub-Division has already been sufficiently dealt with in detail in this office letter No.BM-16, dated the 24th February, 1949. More-over, as all the machines such as welding plant, drilling machines, cylinder bar, engine reconditioning equipment have been received and set up in the Workshop at Belgaum and also the electrical energy required for running the different machines is also supplied, it is requested that Government may kindly be moved to accord very early sanction for the opening of the new Sub-Division so that works may be started and the valuable machineries may not be kept idle for want of proper men of quality and grade.

3. The instructions contained in paras 3 & 4 of Government letter under reply are noted.

Accmpt:
----

1 Statement.

GRM.

Superintending Engineer, S. C.

SB III 12/8

D 444/48

53007

~~40~~ 41

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
BOMBAY.

No. BM-16.

Public Works Department,
Belgaum: 6th September 1949

Subject: Creation of a new Sub Division for Public Works Department Work-Shop at Belgaum.

Reference: Correspondence ending with this Office letter No. BM-16 dated the 10th August 1949.

The favour of an early reply is requested.

Superintending Engineer, S.C.

GDT.

10/9

E (111) 10/9

444/48

59211

E75111

7 9 -

Letter

Urgent
No. 444/48-E(III)

P.W. Deptt.,
B.C. 18th Oct. 194

To
The S.E., S.C.
~~The P.H.E. to Govt.~~

Subject :- Creation of a new Sub-Dn. for P.W.D. workshop at Belgaum.

Refce:- Correspondence ending with your letter No. BM-16, D.41% d the 16th Sept 1949

2. The Kolchi Weir is not fully constructed and is not complete in all respects. The work is proposed to be given on contract. Is it implied that the mechanical staff necessary for operating the plant should be supplied by this Deptt.? Assuming that it is so, why should the staff be permanently employed. The work will be completed during this season and there will be no longer any necessity for the same afterwards. In that case the requirements can be met by employing the necessary minimum staff on

work-charged

work-charged establishment. Govt. is of the opinion that unnecessary inflation of staff should be avoided. You are accordingly requested to revise your recommendations in the light of the above remarks and submit a full and detailed report of the staff requirements at a very early date.

[illegible] p. 13
N/S.
23.1

D.A. Nil.

SMD.
14/10/49

By order etc.

ISSUED
19/10/49

[illegible] 17/10/49

Urgent.
[illegible]
17/10

Issue B (3 copies)
19/10

Cent. ~~287~~ 101

Mr. N. (il. expedite)
p. 12 N/S.
1/3/2

Revised statement showing the details of the staff requirement for the proposed New Sub-Division for P.W.D.Work-shop, Belgaum as called for under Government letter No.444/48-E(III) of 18th October 1949.

SNo.	Name of posts in the proposed Mechanical Sub-Division.	Establishment at present employed				Present Total strength	Additional Estt: required for				Total of addition-al establishment required	Total strength of proposed New Sub-Division	Scale of pay for the existing & additional estt. of proposed Sub-Division.	Minimum educational qualification and experience required for the posts.	Duties of the posts.	Remarks.
		Permanent	Temporary	Work-charged	Muster Roll		Permanent	Temporary	Work-charged	Muster Roll						
1	2	3	4	5	6	47	8	5			6	7	8	9	10	11
1.	Sub-Divisional Officer.							1			1	1	220-15-400-EB 20-500-EB-25-650	B.E.Mech/Ele of any recognised University with at least 5 years experience in work-shop & handling of labour	In charge of Sub-Dn.Responsible for management of Sub-Dn,Workshop, inspection, Maintenance & Repairs of plant and machinery of Southern Circle.	Post similar to that of Deputy Engineer in P.W.D.Scale of pay as per G.R.F.D.No. 6567/33-1 of 6.7.1948.
	OFFICE															
2.	Head Clerk							1			1	1	100-8-140EB-10-150.	Matriculation, experience in office routine & shop accounts	Office management and keeping of accounts.	
3.	First Clerk			1	-	1						1	46-3-85-4-105	Matriculation Experience in office corrs.	Routine office correspondence & record keeping.	Work charged posts 3&4 to be conver to temporary one.

Store clerk			1	-	1					1	1	46-3-85 EB--4-105.	Matriculation experience in industrial store keeping and accounts	Sub-Divisional store keeping and accounts.	
Store Mukadam							1			1	1	35-1-50	Mulki in Regional language & knowledge of reading & writing English.	Aiding store-clerk in collec-tion of stores from firms, station etc. Daily issue of tools and Plant	
Peons			2				2			2	2	30-1/2-35	3rd or 4th class Kannad and Marathi	For office establishment.	
Khalasis		1	-	-	1						1	-do-	-do-	For work shop Mechanical Overseers' aid	
WORKSHOP BELGAUM.															
Mechanical Overseer	-	3	-	-	3						3	80-5-100-8-140-EB-10-220 EB-10-270.	B.E.Mech/Ele of any recog-nised University-Workshop experience desirable.	2 Overseers in charge of Divil Work shop-Super-vision, instruc-tions to work-ers of turning Automobile, Steam Road Roller. Diesel engine sections. 1 posted to Ramdurg Kolchi weir work in charge of mainte-nance, xxxxxx operation and repairs of heavy machinery at Ramdurg.	Two one in charge of worl shop, one is proposed to Ramdurg Sub-Dr 1. Since the Divisional work shop ha been under-taking repai of machinery of all other Divisions in the southern circle (also 2 overseers have become quite essen-tial for the work

															the enormous work on hand. 2. The overseer now in charge of Ramdurg Machinery will be transferred to ~~either~~ Bijapur Dn. to be incharge of Machinery section of the Division. when Ramdurg Dn. complete.
Assistant to Mechanical Overseer							1	-	-	1	1	70-3-85-4-105	certificate in Mech/Ele Engineering of any institute work shop experience 2/3 years.	Supervision of out door repair work. Execution of plant and machinery	Qualification similar to sub that of P.W.D Overseer. Scale of Sub-overseer proposed.
~~TURNING SECTION.~~															
Head Turner			1								1	55-3-85-EB-4 105	5/7 years of experience in Turning, reading of dimensioned sketches	Turning of Ferrous and non-ferrous castings as per drawings.	
First Turner								1	-	1	1	46-3-85	3/5 years experience in turning shop.	-do-	
Boy turner ✓				2	2						2	35-1-50	2 years experience in turning shop	Grinding of tools, setting of parts, oiling & maintaining of lathes, turning as directed.	Post No. 10 made work charged post.

WELDING SECTION.

Welder(Electric & Gas	-	-	1	-	1						1	55-3-85-EB-4 105.	5/7 years expereince in Electric and Gas welding of Ferrous & non-ferrous metals and reading drawings.	Welding of structures, broken parts of ferrous and non-ferrous metals.	Welding job strenous as that of a fitter. Fitter's scale proposed.
Assistant Welder	-	-	1	-	1						1	46-3-85	3/5 years experience electric and gas welding of ferrous & non-ferrous metal.	Welding of ferrous & non-ferrous works as directed & assisting the welder in pre-heat works.	Temporarily transferred to Ramdurg as the person is an all rour fitter and turner.
Foundary Section.															
Moulder								1			1	55-3-85 EB-4 105	5/7 years experience in foundary shop under-taking ferrous and nonferrous castings knowledge of reading drawings.	Preparation of Mould as per drawings and patterns suppl-ied for heavy and light ferrous and non ferrous casting and casting.	Provision for equipment of foundary sec-tion has been made in the tools and plan Estimate of 1949-50. Light & heavy founda works are to taken for repairs of steam road rollers. Moulde and pattern maker are essential for foundary secti Moulders work as skille

																as th fitter.Fitt grade propose
16.	Assistant Moulder	-	-	1	-	1						1	46-3-85	3/5 years of experience in a Foundary shop of ferrous and non-ferrous castings.	Preparing moulds for ferrous and non ferrous castings direction and attending to cupola charging.	
17.	Patternn Maker.							1	-	1	-	1	55-3-85 4-105	7/10 years of experience in pattern shop of Foundary of ferrous and non-ferrous castings.	Preparing wooden patterns of parts to be casted either from ferrous or non-ferrous metals.	Labour extremely skilled.Hence higher grade proposed.
18.	Black smith		1			1						1	45-2-75	5/7 experience in a smithy section of a work shop & reading of drawings.	Smithy of work such as forging as per drawings.	
19.	Assistant Black-smith	X	-	1	-	1						1	35-1-50	2/3 years of experience in smithy shop	Smithy work of less skille nature.	
20.	Hammer Boy.	-	-	1	1	2						2	30-1/2-35	2 years experience as hammer boy in a smithy shop.	Hammering bellowing and assisting the smithsin their work	One post is already on wor charged and th other one also to be made on workcharged.

SHEET METAL SECTION															
Sheet Metal worker ✓	=	-	1	-	1						1	55-3-85-4-105	5/7 years experience in sheet metal shop. Knowledge of reading drawing.	Reparing sheet metal parts and coVaring of trucks and rollers, as per smaples and drawings.	Fitter's grade proposed as labour is to b be as skilled as a fitter. Temporarily transferred to Ramdurg as the person is a all round fitter as well
Assistant sheet metal worker ✓	-	-	-	1	1						1	46-3-85	3/5 years experience sheet metal shop	Assisting the sheet metal worker and preparing parts as ~~per~~ directed	Post to be made work-charged.
MECHANIC SECTION.															
Mechanic (Gasolane) ✓	-	1	1	-	2						2	60-4-100 EB-4-120.	Heavy vehicle transport driving 7 years experience in authomobile and other petrol engines.	Overhauling fault detecting and repairing heavy vehicles Artp mobile engines	As the work shop is under-taking repairs of all other Division of southern circle, work has increased Hence two mechanics hav become quite essential.
Asst. Mechanic ✓	-	-	1.	-	-						1	55-3-85-4-105	H.T.V. driving License & 3 years experience.	Assisting the mechanic in overhauling & repairing testing for performance.	Temporarily transferred to Ramdurg Kolchi Weir work

	Fitters (Auto-mobile)	-	-	2	-	2						2	55-3-85-4-105	3/5 years experience in Auto-repair shop	Fault detecting repairing and ~~Oiling and Greesing of vehicles~~ overhauling of Automobiles.	
26.	Oil man	-	1	-	-	1						1	35-1-50	2 years experience as oilman & Greeser of vehicles.	Oiling and Greesing of vehicles.	
27.	Mechanic (Diesel Rollers and as Spare Driver)	-	-	1	-	1						1	60-4-100-4-120	10 years experience in Diesel engine repairs shop and driving of rollers.	Fault detecting repairing and overhauling diesel rollers.	
28.	Asst. Mechanic Diesel Rollers	-							1	-	1	1	55-3-85-4-105	3/5 years experience Diesel engine repair shop.	Assisting the mechanic in repairing & overhauling of diesel engine of rollers.	
29.	Mechanic (Steam road roller)	X	1	-	-	1						1	60-4-100-4-120	First or 2nd class Boiler attendance certificate 5/7 years experiehce in maintenance of steam road rollers.	Repairing & overhauling of steam rollers	Temporarily transferred to Ramdurg Kolchi weir work as the Mechanic is all round mechanic of oil engines pumps etc.
30.	Asst. Mechanic (steam road roller)	-	-	1	-	1						1	55-3-85-4-105	2nd class Boiler attendance certificate 3/5 years	Assisting the mechanic in repairing & overhauling steam road.	

														expereince in maintenance & repairs of steam road rollers.	Roller driving	
31.	Carpenter	-	-	1	-	1						1	45-1-50- -,o	3/5 years experience in carpentry shop Body building of trucks, reading of drawings and sketches.	Repairs to body of trucks and various other carpentry work.	
32.	[illegible] Carpenter	-	-	-	1							1	35-1-50	2 years experience in carpentry work shop	Assisting the carpenter in repair works & body building works.	Post to be made work-charged.
33.	Electrician ✓	-	-	-	-	-	-	1	-	-	1	1	70-3-85-4-105	Certificate of having attended & undergone training in trade coaching Centre or duly recognised institution and 3/5 years experience in Auto-Electric works.	Fault finding & repairing electrical circuits and meter of Automobiles battery, Dynamo Generator, Magnets and Electrical appliances repairing.	
34.	Electrical fitter	-	-	2	-	2						2	55-3-85- 4 105	3/5 years experience as electrical [illegible] repair shop	Fault finding & repairing electric installations of Automobiles and General electrical appliances.	

							1	-	-	1	1	30-1/2-35	Good Physique and certificate of good conduct from persons of public repute of the locality Ex-serviceman preferred.	For night watch	
Cleaners.	-	-	"	3	3						3	-do-	Experience in any work shop for 2 years.	General cleaning of machines and oiling etc.	-	Post to be made work-charged.
		8	18	8	34		8	4	-	12	46				

Note:- (1) Unskilled labour will be employed as and when required on muster roll.

(2) Scales of pay proposed, are as per G.R.F.D.No.6567/B3-1 of 15.1.1948 section P.W.D.Moffusil

By order

Udayashankar
17/11/52

lo Executive Engineer, Belgaum Dn.

o/c signed by said ex. engineer [illegible]

17/11

RNG.16.11.

Letter.

From

The Superintending Engineer,
Southern Circle.

To

The Secretary to Government,
Public Works Department,
BOMBAY.

VERY URGENT.
No. B.M.16.

Public Works Department,
Belgaum: 22 November 1949.

Subject: Creation of a new Sub-Division for Public Works Department Workshop, at Belgaum.

Reference: Govt. Letter No.444/48-E(III), 1043 E/5
dated the 18th October 1949.

A full and detailed report regarding the requirements of the staff necessarily required for the creation of a new Sub Division for the Mechanical Workshop at Belgaum is submitted herewith after taking into account the progressive growth of the workshop since February 1949, the date of first proposal for the creation of a Sub-Division.

2. The proposals regarding the mechanical staff required for the Kolchi Weir have been suitably modified and provision for the minimum staff absolutely necessary for running the Sub-Division efficiently has only been made. Arrangements to manage the work of the Kolchi Weir by transferring temporarily a few skilled technicians from the Divisional Workshop and engaging the local technicians of Ramdurg on Seasonal basis have been made.

3. I, therefore, request that Government in your concurrence may kindly be moved to accord early sanction for creation of a Mechanical Sub Division to look after the maintenance and repairs of plant and heavy machinery of the whole +Circle procured under Government Bulk for efficient and speedy progress of the Post War Development Works.

Accompts:
1 Statement.

22

Superintending Engineer, S.C.

GDT.

m Bed – Elur
26/11
26

P. W. D.
File No. 444/48
Serial No. 79622

Revised Statement showing the details of the
Mechanical Sub-Division for P.W.D. Workshop, Belgaum
dated 23rd December 1949 to the -

58 B

Name of posts in the proposed Mechanical Sub-Division.	Establishment at present employed.		Present total strength.	Addl. Estt. required for the proposed Sub-Dn.		Total of Addl. Estt. required.	Total strength of proposed Sub-Dn.	Minimum Educational qualification and Experience required for posts.
	Permanent	Temporary		Permanent	Temporary			
Peons	-	-	-	-	2	2	2	3rd & 4th class Kannad & Marath
Khalasi	1	1	-	-	-	-	1	-do-
WORK - SHOP.								
Mechanical Overseer.	permanent Services of one/overseer working formerly in this Dn. has been spared to Karnatak Irrign. Circle.	3	3	As one is proposed to be posted as Deputy Engineer, on formation of Sub-Dn., one overseer under training will be posted for the work-shop in his place.			2	B.E. Mech/Elec of any recognized University - Work shop experience desirable.
Assistant to Mechanical Overseer.	-	-	-	-	1	1	1	Certificate in Mech/Elec. Engineering of any institute. Work-shop experience of 2/3 years.
Black Smith.	-	1	1	-	-	-	1	5/7 years experience in smithy section of a work-shop and reading of drawings.
Mechanic Gasolene	-	1	1	-	-	-	1	Heavy vehicle Transport driving - 7 years experience in automobile and other petrol Engine.

Staff required for the proposed new [illegible]
as called for under Govt. [illegible] [illegible]/10/49629, P.W.D.,
Superintending Engineer, Southern Circle, Belgaum.

Duties of the posts.	Scale of pay for the additional Establishment of proposed Sub-Division.	Extra cost for additional Establishment required annually.			REMARKS.
		Pay & D.A.	T.A.	Total.	
For office - Estalbishment	30-½-35	58 C 1560	240	1800	T.A. for rcon is foun to be necessary when they are to convey ta, l to camps.
For work-shop & Mechanical Overseer aid.	-do-				
In charge of Divisional work-shop - of different sections of the work-shop one incharge of - General administration of work-shop. Second in-charge of Automobile and oil Engine Roller, Steam Road Roller Mixtures, Crushers and other - machinery. One under training in work shop to be posted as - proposed.	in the grade of 85-5-100-8-140-E.B.-10-200-E.B.-10-270. 1) Senior overseer on Rs.200/- in the grade. 2) The two other overseers on - Rs. 180/- in the grade.				No additional overseer t be recruited, as one u training is proposed to be posted in the place o the senior overseer proposed to be posted as - Deputy Engineer on for- tion of Sub-Dn. No extr cost as the overseers ar already against the - sanction posts of overs to this Division.
Supervision of out-door repair work of plant and machinery.	70-3-85-4-105	1380	300	1680	In view of the qualification similar to that of P.W.D. Sub-overseer. Scal of Sub-overseer proposed, against the Diploma scale as proposed in 1st prop
Smithy work, Forging of parts etc.	[illegible]5-2-75	-	-	-	
Overhauling, fault finding & repairing heavy vehicle Automobile - Engines.	60-4-100-E.B.-4-120				

LETTER

URGENT:

From

The Superintending Engineer,
Southern Circle, Belgaum.

To

The Secretary to Government,
Public Works Department, Bombay No.1.

No.B.M.16.

Public Works Department,
Belgaum: 22-3-1950.

Subject : Creation of a new Sub-Division for the P.W.D. Workshop, Belgaum. p.15.N.C

Reference; This office letter No.B.M.16, dated the 21st Feb.1950.

The favour of early orders on the above mentioned subject is requested.

2. There will be no difficulty in posting a temporary Deputy Engineer (Mechanical) to hold charge of the New Sub-Division for Public Works Department Workshop at Belgaum as one Mr.P.T.Desai, B.Sc.,B.E. who is at present working as a Mechanical Overseer in charge of the General Administration of Divisional Workshop, Belgaum, is considered to be suitable for this post. It is, therefore, requested that Government may please be moved to accord sanction to the opeining of the new Sub-Division with effect from 1st April, 1950 as already requested in this office letter No.B.M.16, dated the 21st February, 1950, in view of the reasons explained in this office letter No.B.M.16, dated the 24th Feb. 1949.

GRM.

Superintending Engineer, S.C.

Shri. Bed
27/3 ✓

EB(III)
29/3

[illegible]

S. V. D.
File No. 444/48
Serial No. 23979

EB(III).

444/48/23979

P.W.D.

The main papers bearing file No. 444/48/14671 have been refd. u.o. to the F.D. on 23.3.50. Their return may be awaited.

BB
1/4/50

3/4/50.

(23.4.50)

4/4.

SKS:

Letter 65 444/48/30386

No. 444/48-E(III).
To.

S.E., S.C.

P.W.D.
B.C. (B'bay No:1)
25th April 1950

Sub:- Creation of a new Sub Dn. for the P.W.D. Workshop, Belgaum.

Ref: Correspondence resting with your letter No. B.M.16., dated the 22-3-1950 - P. 61.

2. No fresh posts at this stage will be sanctioned since the whole staff is to come under the review of the Retrenchment Officer appointed by Govt. The question ~~may~~ should be taken up again after a period of six months.

K.C.S.R. 4-T-11 } 25/5

DA: NIL

By order etc.

Asstt. Secy.

ISSUED 26/4/50

BAB 24/4/50

[illegible] back with 2 more [illegible] 24/4

File 27/4

No. BM-16.

Public Works Department,
Belgaum: 11th October 1950.

From

The Superintending Engineer
Southern Circle.

The Secretary to Government,
Public Works Department,
B O M B A Y 1.

Subject: Creation of a new Sub Division
for the P.W.D. Workshop, at Belgaum.

P-65

Reference: Correspondence ending with Govt. Letter, P.W.D. No.444/49-E(III) dated the 25th April 1950.

2. In view of the circumstances explained in this office No. BM-16 dated 24th February 1950 and further in letters Nos. BM-16 of 6-4-50 and 21-2-1950 I request that the Government may please be moved to sanction the creation of the Mechanical Sub Division at Belgaum early.

3. At present the workshop is under the direct control of the Executive Engineer, Belgaum Division and as he is overworked it is necessary to afford him relief by establishing the Sub Division.

11/X

Superintending Engineer, S.C.

GDT.

THROUGH-

the Chief Engineer to Government,
Public Works Department, Bombay

EB (II) 25/10

24/10

P. W. D.

File No. 444/48

07562

69 444/48/87562.

Letter.

No. 444/48 (I) E(II) [illegible]

B.C. (B'bay No. 1), 6/7 Nov. 1950.

To
The S.E., S.C.

Sub: Creation of a new Sub-Dn. for the P.W.D. Workshop at Belgaum

Ref: Your letter No. BM-16 (P-67), dt. 19.10.50.

2. Govt. considers that the proposal to create ~~of~~ a new sub-Dn. for the P.W.D. workshop at Belgaum should be held over for a period of six months more. You are, therefore, requested to take up the question again after a period of six ~~moths~~ months.

By order etc.

7/11

Asstt. Secy. to the Govt. of ~~[illegible]~~ Bomb
P.W.D.

- Nil -

13/11/50

18/11/50.

(P.B.) 6.11.50.

SBM 8/11

USK 5/11

For further papers see file No TCS 2551 of 195

2-8-51

17.5.56